


Aloe deltoideodonta var. *fallax* J.B. Castillon



Cet *Aloe* a longtemps été confondu avec d'autres espèces, en particulier avec *A. manandonae* (anciennement *A. ibitiensis* au sens de Reynolds) et *A. deltoideodonta* var. *candicans*, et n'a de ce fait été décrit que récemment. Il ressemble en effet à *A. manandonae* par ses feuilles vertes nettement linéolées mais en diffère par ses inflorescences - grappes plus courtes (7 cm au lieu de 30), grandes bractées blanches - et ses nombreux rejets. Ses différences par rapport à *A. deltoideodonta* var. *candicans* se situent au niveau de l'allure générale de la plante, la variété *candicans* ayant des feuilles plus longues, moins larges, bleu-rougeâtres, peu linéolées, et vivant en touffes beaucoup plus denses (100 individus contre une dizaine en moyenne pour la variété *fallax*).

This *Aloe* has been confused for a very long time with other taxa, especially with *A. manandonae* (formerly *A. ibitiensis*, sensu Reynolds) and *A. deltoideodonta* var. *candicans*, and so has been described only recently. It resembles indeed *A. manandonae* by its finely lineolate green leaves but differs by its inflorescences - shorter racemes (7 cm instead of 30), large scarious white bracts - and its many offsets. It differs from *A. deltoideodonta* var. *candicans* by its general shape; the *candicans* variety has longer blue-reddish leaves without lineate ridges, and grows in much wider clumps (100 individuals against 10 on average for the *fallax* variety).

Répartition: On le rencontre entre Ambalavao et Ankaramena, sur des rochers granitiques, au milieu des herbes, en compagnie de *Pachypodium densiflorum* (Apocynaceae) et *Euphorbia enterophora* Drake (Euphorbiaceae), à des altitudes moyennes de 800 m. Il est assez localisé et son aire de répartition ne chevauche pas celle de la variété *candicans*.

Distribution: Between Ambalavao and Ankaramena, on granitic rocks, among grasses, with *Pachypodium densiflorum* (Apocynaceae) and *Euphorbia enterophora* Drake (Euphorbiaceae), at about 800 m of altitude. Its area of distribution does not overlap that of the *candicans* variety.

Floraison: Plus précoce que les autres variétés de *A. deltoideodonta* : mars - avril

Flowers: Earlier than the other varieties of *A. deltoideodonta*: March - April